Stepan 5

SAFETY DATA SHEET

1. Identification

Product identifier

NACCONOL 40G

Other means of identification

Product code

0534

Recommended use

Surfactant

Recommended restrictions

For industrial use only.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Stepan Company

Address

22 West Frontage Road Northfield, IL 60093

USA

Telephone

General

1-847-446-7500

E-mail

Not available.

Emergency phone number

Medical

1-800-228-5635

Chemtrec Int'l

1-800-424-9300 +1 703-527-3887

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Acute toxicity, oral

Category 4

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 2A

Environmental hazards Ha

Hazardous to the aquatic environment, acute

Category 2

hazard

Hazardous to the aquatic environment,

Category 3

long-term hazard

OSHA defined hazards

Combustible dust

Label elements



Signal word

Warning

Hazard statement

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects. May form combustible dust concentrations in air.

Precautionary statement

Prevention

Keep container tightly closed. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Wear eye/face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves. Prevent dust accumulation to minimize explosion

hazard.

Response

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. Take off contaminated

clothing and wash before reuse.

Storage

Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Material name: NACCONOL 40G

Material ID: 431 Product code: 0534 Version #: 02 Revision date: 11-16-2016 Print date: 11-16-2016

SDS US

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % | |
|---|--------------------------|------------|-----------|--|
| Sodium dodecylbenzenesulfonate (Alternate CAS: 68411-30-3) | | 25155-30-0 | 40 - < 50 | |
| Sodium sulfate | | 7757-82-6 | 40 - < 50 | |
| Sodium chloride | | 7647-14-5 | 10 - < 20 | |

4. First-aid measures

Inhalation

If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Eye contact

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion

Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Do not induce vomiting without advice from poison control center.

Most important symptoms/effects, acute and

delayed

Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Apply extinguishing media carefully to avoid creating airborne dust.

Unsuitable extinguishing

None known.

media Specific hazards arising from

the chemical

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Cool containers exposed to flames with water until well after the fire is out.

May form combustible dust concentrations in air.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak, Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Use only non-sparking tools. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of dust from the spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water.

Large Spills: Collect spillage. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimize dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Ground/bond container and receiving equipment. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid breathing dust. Do not get this material on clothing. Wear positive pressure self-contained breathing apparatus (SCBA). Wear personal protective equipment. Wash thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield. Use tight fitting goggles if dust is generated.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Solid.

Form

Powder.

Pmax = 5.3 +/- 10%bar Kst = 37 +/- 30% bar m/s

Minimum Ignition Energy (MIE) = > 1000 mJ

Minimum Explosible Concentration (MEC) = 200 g/m3 Minimum Autoignition Temperature (MAIT Cloud) = 470 C Limiting Oxygen Concentration (LOC) = 16.5 +/- 1 vol. %

Mean particle size = 78 micrometer

Color

Off-white.

_

Odor

Not available.

Odor threshold

Not available.

Material name: NACCONOL 40G

SDS US

pH

6.8 (1% in water)

Melting point/freezing point

> 572 °F (> 300 °C)

Initial boiling point and boiling

range

Flash point

Not available.

Evaporation rate

Not available.

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)

Solubility (water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available. Not available.

Other information

Specific gravity

0.66 (tamped)

10. Stability and reactivity

Reactivity

Viscosity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Keep away from heat, sparks and open flame. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air). Minimize dust generation and accumulation.

Incompatible materials

Hazardous decomposition

products

Strong oxidizing agents.

Upon decomposition, this product may yield sulfur dioxide and oxides of sulfur.

11. Toxicological information

Information on likely routes of exposure

Inhalation

Inhalation of dusts may cause respiratory irritation.

Skin contact

Causes skin irritation.

Eye contact

Causes serious eye irritation. Dust in the eyes will cause irritation.

Ingestion

Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Product

Species

NACCONOL 40G

Acute

Dermal

LD50

Rabbit

> 2000 mg/kg

Test Results

Product Species **Test Results**

Oral

LD₅₀

Rat

1080 - 1980 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation. Dust in the eyes will cause irritation.

Respiratory or skin sensitization

Respiratory sensitization

Not available.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not applicable.

Specific target organ toxicity -

repeated exposure

Not applicable.

Aspiration hazard Not applicable.

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

| Product | | Species | Test Results | |
|--------------|------|---------|---------------------------|--|
| NACCONOL 40G | | | | |
| Aquatic | | | | |
| Algae | EC50 | Algae | 29 mg/l, 72 hours | |
| Crustacea | EC50 | Daphnia | 1.62 - 9.3 mg/l, 48 hours | |
| Fish | LC50 | Fish | 3 mg/l, 96 hours | |

Persistence and degradability

Expected to be readily biodegradable.

Bioaccumulative potential

No data available.

Partition coefficient n-octanol / water (log Kow)

Sodium dodecylbenzenesulfonate (Alternate CAS: 68411-30-3)

0.45

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sodium

dodecylbenzenesulfonate (Alternate CAS: 68411-30-3) RQ = 2381 LBS)

Transport hazard class(es)

Class Subsidiary risk Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number

RQ, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sodium UN proper shipping name

dodecylbenzenesulfonate (Alternate CAS: 68411-30-3))

Transport hazard class(es)

Class Subsidiary risk Packing group III **Environmental hazards** No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number

UN proper shipping name RQ, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sodium

dodecylbenzenesulfonate (Alternate CAS: 68411-30-3))

Transport hazard class(es)

Class 9 Subsidiary risk III Packing group **Environmental hazards**

Marine pollutant No

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Not applicable. Annex II of MARPOL 73/78 and

the IBC Code

DOT; IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium dodecylbenzenesulfonate (Alternate CAS: Listed.

68411-30-3) (CAS 25155-30-0)

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA)

Hazardous substance

Section 112(r) (40 CFR

68.130)

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US - New Jersey RTK - Substances: Listed substance

Sodium dodecylbenzenesulfonate (Alternate CAS: 68411-30-3) (CAS 25155-30-0)

US - Pennsylvania RTK - Hazardous Substances: Listed substance

Sodium dodecylbenzenesulfonate (Alternate CAS: 68411-30-3) (CAS 25155-30-0)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

Sodium dodecylbenzenesulfonate (Alternate CAS: 68411-30-3) (CAS 25155-30-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium dodecylbenzenesulfonate (Alternate CAS: 68411-30-3) (CAS 25155-30-0)

US. Rhode Island RTK

Sodium dodecylbenzenesulfonate (Alternate CAS: 68411-30-3) (CAS 25155-30-0)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory (NZIoC) | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Inventory (TCSI) | Yes |
| United States & Puerto Ricc | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Material name: NACCONOL 40G

16. Other information, including date of preparation or last revision

 Issue date
 10-21-2014

 Revision date
 11-16-2016

Version #

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the

Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Disclaimer Terms and Conditions. This SDS is designed only as guidance for the products to which it applies.

To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantibility or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or

consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The receipt and use of this information constitutes consent to these terms and conditions.

Revision information Hazard(s) identification: Hazard statement

Hazard(s) identification: Prevention

Hazard(s) identification: Hazard(s) not otherwise classified (HNOC) Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties
Transport Information: Material Transportation Information

Regulatory information: California Prop 65

Other information, including date of preparation or last revision: Disclaimer

Material name: NACCONOL 40G